| L Number | Hits | Search Text | DB | Time stamp |
|---|---|---|---|---|
| 1 | 18645 | magnetic adj2 storage | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/09/02 13:25 |
| 2 | 1798757 | motor | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/09/02 13:25 |
| 3 | 1287933 | head | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/09/02 13:25 |
| 4 | 48 | backup adj2 indicator$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/09/02 13:25 |
| 5 | 135 | previous adj2 backup$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/09/02 13:25 |
| 6 | 9 | extend$3 adj2 disk$2 adj2 sector$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/09/02 13:26 |
| 7 | 492 | hierarch$3 adj2 storage$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/09/02 13:26 |
| 8 | 4170 | (magnetic adj2 storage ) and motor | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/09/02 13:26 |
| 9 | 3207 | ((magnetic adj2 storage ) and motor) and head | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/09/02 13:26 |
| 10 | 0 | (((magnetic adj2 storage ) and motor) and head) and (backup adj2 indicator$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/09/02 13:26 |

| 11 | 2 | (((magnetic adj2 storage ) and motor) and head) and (previous adj2 backup$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/09/02 13:26 |
| --- | --- | --- | --- | --- |
| 12 | 0 | ((((magnetic adj2 storage ) and motor) and head) and (previous adj2 backup$4)) and (hierarch$3 adj2 storage$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/09/02 13:27 |
| 13 | 0 | ((((magnetic adj2 storage ) and motor) and head) and (previous adj2 backup$4)) and (extend$3 adj2 disk$2 adj2 sector$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/09/02 13:27 |

```
=> dis his

        (FILE 'HOME' ENTERED AT 13:00:11 ON 02 SEP 2002)

        FILE 'USPATFULL' ENTERED AT 13:00:21 ON 02 SEP 2002
L1  (      213261)S RECORDING
L2  (      229352)S MEDIA
L3          18722 S RECORDING MEDIA STEP
L4           7560 S MAGNETIC STORAGE
L5         539375 S MOTOR
L6         539608 S HEAD
L7          22175 S MAGNETIC HEAD
L8             18 S BACKUP INDICATOR
L9  (      534189)S EXTENDED
L10 (      162006)S FORMAT
L11 (       66587)S SECTOR#
L12             1 S EXTENDED (2W) FORMAT (2W) SECTOR# STEP
L13            65 S USER DATA SECTOR
L14            87 S PREVIOUS BACKUP
L15           879 S L3 AND L4
L16             0 S L15 AND L14
L17           437 S L15 AND L5
L18           419 S L17 AND L6
L19           176 S L18 AND L7
L20             0 S L19 AND L8
L21             1 S L13 AND L19
L22           741 S BACKUP (3A) INDICAT###
L23             0 S L22 AND L19
L24            20 S L4 AND L22
L25             9 S L24 AND L5
L26             0 S L25 AND L6
L27             0 S L25 AND L3
L28             0 S L13 AND L25
L29 (     1714490)S EXTEND?
L30 (      233479)S DISK
L31 (       66587)S SECTOR#
L32            20 S EXTEND? (2A) DISK (2A) SECTOR# STEP
L33          1127 S HIERARCH? (2A) STORAGE
L34             0 S L32 AND L33
L35             0 S L32 AND L22
L36             1 S L32 AND L13
L37             0 S L32 AND L4
L38             0 S L32 AND L3
L39            11 S L32 AND L5
L40             7 S L39 AND L6

=> d 125 1- pn,ti
YOU HAVE REQUESTED DATA FROM 9 ANSWERS - CONTINUE? Y/(N):y

L25  ANSWER 1 OF 9  USPATFULL

PI     US 6115713                20000905
TI     Networked facilities management system
```

*(handwritten, right margin):* 627866 (struck through)
6236625
6175549
6023383
5729511
5829011

L25   ANSWER 2 OF 9   USPATFULL

PI     US 5884072                19990316
TI     Networked facilities management system with updated data
based on aging
       time

L25   ANSWER 3 OF 9   USPATFULL

PI     US 5598566                19970128
TI     Networked facilities management system having a node
configured with
       distributed load management software to manipulate loads
controlled by
       other nodes

L25   ANSWER 4 OF 9   USPATFULL

PI     US 5550980                19960827
TI     Networked facilities management system with optical
coupling of local
       network devices

L25   ANSWER 5 OF 9   USPATFULL

PI     US 5522044                19960528
TI     Networked facilities management system

L25   ANSWER 6 OF 9   USPATFULL

PI     US 5511188                19960423
TI     Networked facilities management system with time stamp
comparison for
       data base updates

L25   ANSWER 7 OF 9   USPATFULL

PI     US 5463735                19951031
TI     Method of downloading information stored in an arching
device to
       destination network controller through intermediate
network controllers
       in accordance with routing information

L25   ANSWER 8 OF 9   USPATFULL

PI     US 5444851                19950822
TI     Method of accessing configured nodes in a facilities
management system
       with a non-configured device

L25   ANSWER 9 OF 9   USPATFULL

PI     US 5384697                19950124

TI      Networked facilities management system with balanced differential analog
        control outputs


=> d 140 1- pn,ti
YOU HAVE REQUESTED DATA FROM 7 ANSWERS - CONTINUE? Y/(N):y

L40   ANSWER 1 OF 7   USPATFULL

PI      US 37818              E1    20020813
        US 5050013                  19910917 (Original)
TI      Hard sectoring circuit and method for a rotating disk data storage
        device

L40   ANSWER 2 OF 7   USPATFULL

PI      US 5745313                  19980428
TI      Method and apparatus for expanding data storage capacity on a floppy
        diskette

L40   ANSWER 3 OF 7   USPATFULL

PI      US 5634748                  19970603
TI      Drill press having a movable head and a tilt table

L40   ANSWER 4 OF 7   USPATFULL

PI      US 5050013                  19910917
TI      Hard sectoring circuit and method for a rotating disk data storage
        device

L40   ANSWER 5 OF 7   USPATFULL

PI      US 4598327                  19860701
TI      Servo control system using servo pattern time of flight for read/write
        head positioning in a magnetic recording system

L40   ANSWER 6 OF 7   USPATFULL

PI      US 4589037                  19860513
TI      Servo control system using a varying frequency servo pattern for
        read/write head positioning in a magnetic recording disk file

L40   ANSWER 7 OF 7   USPATFULL

PI      US 3651500                  19720321

```
=> dis his

     · (FILE 'HOME' ENTERED AT 13:00:11 ON 02 SEP 2002)

       FILE 'USPATFULL' ENTERED AT 13:00:21 ON 02 SEP 2002
L1   (      213261)S RECORDING
L2   (      229352)S MEDIA
L3          18722 S RECORDING MEDIA STEP
L4           7560 S MAGNETIC STORAGE
L5         539375 S MOTOR
L6         539608 S HEAD
L7          22175 S MAGNETIC HEAD
L8             18 S BACKUP INDICATOR
L9   (      534189)S EXTENDED
L10  (      162006)S FORMAT
L11  (       66587)S SECTOR#
L12             1 S EXTENDED (2W) FORMAT (2W) SECTOR# STEP
L13            65 S USER DATA SECTOR
L14            87 S PREVIOUS BACKUP
L15           879 S L3 AND L4
L16             0 S L15 AND L14
L17           437 S L15 AND L5
L18           419 S L17 AND L6
L19           176 S L18 AND L7
L20             0 S L19 AND L8
L21             1 S L13 AND L19
L22           741 S BACKUP (3A)  INDICAT###
L23             0 S L22 AND L19
L24            20 S L4 AND L22
L25             9 S L24 AND L5
L26             0 S L25 AND L6
L27             0 S L25 AND L3
L28             0 S L13 AND L25
L29  (     1714490)S EXTEND?
L30  (      233479)S DISK
L31  (       66587)S SECTOR#
L32            20 S EXTEND? (2A) DISK (2A) SECTOR# STEP
L33          1127 S HIERARCH? (2A) STORAGE
L34             0 S L32 AND L33
L35             0 S L32 AND L22
L36             1 S L32 AND L13
L37             0 S L32 AND L4
L38             0 S L32 AND L3
L39            11 S L32 AND L5
L40             7 S L39 AND L6

=> d l25 1- pn,ti
YOU HAVE REQUESTED DATA FROM 9 ANSWERS - CONTINUE? Y/(N):y

L25  ANSWER 1 OF 9  USPATFULL

PI    US 6115713               20000905
TI        Networked facilities management system
```

L25  ANSWER 2 OF 9  USPATFULL

PI    US 5884072              19990316
TI    Networked facilities management system with updated data
based on aging
      time

L25  ANSWER 3 OF 9  USPATFULL

PI    US 5598566              19970128
TI    Networked facilities management system having a node
configured with
      distributed load management software to manipulate loads
controlled by
      other nodes

L25  ANSWER 4 OF 9  USPATFULL

PI    US 5550980              19960827
TI    Networked facilities management system with optical
coupling of local
      network devices

L25  ANSWER 5 OF 9  USPATFULL

PI    US 5522044              19960528
TI    Networked facilities management system

L25  ANSWER 6 OF 9  USPATFULL

PI    US 5511188              19960423
TI    Networked facilities management system with time stamp
comparison for
      data base updates

L25  ANSWER 7 OF 9  USPATFULL

PI    US 5463735              19951031
TI    Method of downloading information stored in an arching
device to
      destination network controller through intermediate
network controllers
      in accordance with routing information

L25  ANSWER 8 OF 9  USPATFULL

PI    US 5444851              19950822
TI    Method of accessing configured nodes in a facilities
management system
      with a non-configured device

L25  ANSWER 9 OF 9  USPATFULL

PI    US 5384697              19950124

TI      Networked facilities management system with balanced
differential analog
        control outputs


=> d 140 1- pn,ti
YOU HAVE REQUESTED DATA FROM 7 ANSWERS - CONTINUE? Y/(N):y

L40   ANSWER 1 OF 7   USPATFULL

PI      US 37818              E1    20020813
        US 5050013                  19910917 (Original)
TI      Hard sectoring circuit and method for a rotating disk data
storage
        device

L40   ANSWER 2 OF 7   USPATFULL

PI      US 5745313                  19980428
TI      Method and apparatus for expanding data storage capacity
on a floppy
        diskette

L40   ANSWER 3 OF 7   USPATFULL

PI      US 5634748                  19970603
TI      Drill press having a movable head and a tilt table

L40   ANSWER 4 OF 7   USPATFULL

PI      US 5050013                  19910917
TI      Hard sectoring circuit and method for a rotating disk data
storage
        device

L40   ANSWER 5 OF 7   USPATFULL

PI      US 4598327                  19860701
TI      Servo control system using servo pattern time of flight
for read/write
        head positioning in a magnetic recording system

L40   ANSWER 6 OF 7   USPATFULL

PI      US 4589037                  19860513
TI      Servo control system using a varying frequency servo
pattern for
        read/write head positioning in a magnetic recording disk
file

L40   ANSWER 7 OF 7   USPATFULL

PI      US 3651500                  19720321

TI      METHOD AND APPARATUS FOR DETECTING THE POSITION OF MOVING
PARTS

=>